

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S1	11	361/695 and (duct or conduit) near flexible	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2004/09/22 08:56
S2	102	361/695 and (duct or conduit) and flexible	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2004/09/22 09:05
S3	38	361/694 and (duct or conduit) and flexible	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2004/09/22 08:38
S4	14	(361/694 and (duct or conduit) and flexible) not (361/695 and (duct or conduit) and flexible)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2004/09/22 08:38
S5	87	361/690 and (duct or conduit) and flexible	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2004/09/22 08:43
S6	51	(361/690 and (duct or conduit) and flexible) not (361/695 and (duct or conduit) and flexible)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2004/09/22 08:39
S7	48	((361/690 and (duct or conduit) and flexible) not (361/695 and (duct or conduit) and flexible)) not (361/694 and (duct or conduit) and flexible)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2004/09/22 08:39
S8	10	257/721 and fan and (duct or conduit) and flexible	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2004/09/22 08:41
S9	42	174/16.1 and (duct or conduit) and flexible	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2004/09/22 08:44
S10	18	174/16.2 and (duct or conduit) and flexible	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2004/09/22 08:44
S11	98	361/695 and (duct or conduit) and flange	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2004/09/22 08:53

S12	42	174/16.1 and (duct or conduit) and flange	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2004/09/22 08:54
S13	23	(174/16.1 and (duct or conduit) and flange) not (361/695 and (duct or conduit) and flange)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2004/09/22 08:53
S14	25	174/16.2 and (duct or conduit) and flange	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2004/09/22 08:54
S15	11	165/80.3 and (duct or conduit) near flexible	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2004/09/22 08:59
S16	143	165/80.3 and (duct or conduit) and flexible	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2004/09/22 09:02
S17	103	(165/80.3 and (duct or conduit) and flexible) not (361/695 and (duct or conduit) and flexible)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2004/09/22 08:59
S18	132	165/104.33 and (duct or conduit) and flexible	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2004/09/22 09:02
S19	78	(165/104.33 and (duct or conduit) and flexible) not (165/80.3 and (duct or conduit) and flexible)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2004/09/22 09:02
S20	483	361/695 and (duct or conduit)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2004/09/22 09:05
S21	381	(361/695 and (duct or conduit)) not (361/695 and (duct or conduit) and flexible)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2004/09/22 09:06
S22	381	((361/695 and (duct or conduit)) not (361/695 and (duct or conduit) and flexible)) not ((361/690 and (duct or conduit) and flexible) not (361/695 and (duct or conduit) and flexible))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2004/09/22 09:06

S23	381	((361/695 and (duct or conduit)) not (361/695 and (duct or conduit) and flexible)) not ((361/690 and (duct or conduit) and flexible) not (361/695 and (duct or conduit) and flexible))) not (165/80.3 and (duct or conduit) and flexible)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2004/09/22 09:06
S24	457	72/316	USPAT	OR	OFF	2004/09/22 09:48
S25	30	flange near tub\$4 near join\$4	USPAT	OR	OFF	2004/09/22 09:49
S26	19	flange near tube near join\$4	USPAT	OR	OFF	2004/09/22 09:56
S27	84	277/602 and flange	USPAT	OR	OFF	2004/09/22 10:03
S28	151	277/609 and flange	USPAT	OR	OFF	2004/09/22 11:00
S29	127	(277/609 and flange) not (277/602 and flange)	USPAT	OR	OFF	2004/09/22 10:21
S30	5	((("5639100") or ("4603892") or ("4381869") or ("4155571") or ("4114907"))).PN.	USPAT; USOCR	OR	OFF	2004/09/22 10:24
S31	1310	285/363	USPAT	OR	OFF	2004/09/22 11:09
S32	3	((("3620554") or ("3573870") or ("1282068"))).PN.	USPAT; USOCR	OR	OFF	2004/09/22 10:58
S33	87	277/609 and (wire or o\$ring)	USPAT	OR	OFF	2004/09/22 11:01
S34	113	285/367 and (wire or o\$ring)	USPAT	OR	OFF	2004/09/22 11:12
S35	113	(285/367 and (wire or o\$ring)) not (277/609 and (wire or o\$ring))	USPAT	OR	OFF	2004/09/22 11:10
S36	120	285/364 and (wire or o\$ring)	USPAT	OR	OFF	2004/09/22 11:15
S37	120	(285/364 and (wire or o\$ring)) not (277/609 and (wire or o\$ring))	USPAT	OR	OFF	2004/09/22 11:12
S38	100	((285/364 and (wire or o\$ring)) not (277/609 and (wire or o\$ring))) not (285/367 and (wire or o\$ring))	USPAT	OR	OFF	2004/09/22 11:12
S39	4606	"285"/\$7 and (wire or o\$ring) and flange	USPAT	OR	OFF	2004/09/22 11:18
S40	8	("285"/\$7 and (wire or o\$ring) and flange) and peripher\$4 adj hole	USPAT	OR	OFF	2004/09/22 11:19
S42	438	361/697 and (duct or guide or shroud)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/04/11 09:04
S43	889	361/695 and (duct or guide)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/04/11 09:05

S44	663	S43 not S42	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/04/11 08:55
S45	163	S44 and fin	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/04/11 09:01
S46	500	S44 not S45	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/04/11 09:01
S47	85	S46 and filter	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/04/11 09:01
S48	449	361/697 and (duct or guide or conduit)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/04/11 09:04
S49	44	S48 not S42	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/04/11 09:04
S50	53	S43 and exhaust adj fan	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/04/11 09:06